



FRONT ELEVATION

SCALE: 1/8"=1'-0"




LEFT SIDE ELEVATION

SCALE: 1/8"=1'-0"



RIGHT SIDE ELEVATION

SCALE: 1/8"=1'-0"



FRONT ELEVATION

SCALE: 1/8"=1'-0"

Designer:

"Unauthorized alteration or addition to this document is a violation of Section 7209 (2) of New York State Education Law."

Project Title:
Proposed Home for
Lot 112, Fifth Street, Malta (Saratoga Lake), NY

ELEVATIONS

Drawing Title:

No.	Revisions/Submissions	Date

Drawn by: P. SHELDON

Date: JANUARY, 2013

Scale: AS SHOWN

Drawing No.:

S-8

Designer:

"Unauthorized alteration or addition to this document is a violation of Section 7209 (2) of New York State Education Law."

Project Title:
Proposed Home for
Lot 112, Fifth Street, Malta (Saratoga Lake), NY

Drawing Title:
FIRST & SECOND FLOOR PLANS

Date:

Revisions/Submissions

No.

Date:

Drawn by:

Date:


Scale:

Drawing No.:

JANUARY, 2013

AS SHOWN

S-7



SECOND FLOOR PLAN

SCALE: 1/8"=1'-0"

NOTES:


- INTERIOR DOOR ROUGH OPENINGS SHALL BE 2" WIDER THAN DOOR WIDTH SHOWN BY 6'-10 3/4" HIGH UNLESS OTHERWISE NOTED.
- ALL EXTERIOR WINDOW & DOOR HEADERS SHALL BE (2) 2"x10" UNLESS OTHERWISE NOTED ON PLANS.
- HEADERS 5'-0" OR LONGER SHALL HAVE A MINIMUM OF (2) 2"x6" JACK STUDS ON EACH END AND SHALL HAVE SOLID BLOCKING BETWEEN JOISTS BELOW JACK LOCATIONS.
- PROVIDE SOLID BLOCKING BETWEEN JOISTS BELOW ALL COLUMN LOCATIONS.
- PROVIDE SINGLE JOIST BELOW ALL PARALLEL PARTITIONS UNLESS OTHERWISE NOTED.
- FIRST FLOOR WALLS SHALL BE 9'-0", SECOND FLOOR WALLS SHALL BE 8'-0" HIGH.
- ALL EXTERIOR WALLS SHALL BE 2"x6" (5 1/2" NOMINAL THICKNESS) UNLESS OTHERWISE NOTED.
- ALL INTERIOR WALLS SHALL BE 2"x4" (3 1/2" NOMINAL THICKNESS) UNLESS OTHERWISE NOTED.
- PROVIDE SCUTTLE (22" x 20") TO ATTIC IN ACCORDANCE WITH SECTION 807 OF THE RESIDENTIAL CODE.
- PROVIDE CONTINUOUS RIDGE VENTS ON ALL ROOFS.
- PROVIDE CONTINUOUS SOFFIT VENTS AT ALL JUNCTURES OF SLOPED ROOFS AND VERTICAL WALLS.
- PROVIDE FIREBLOCKING IN THE FOLLOWING LOCATIONS:
IN CONCEALED SPACES OF STUD WALLS AND PARTITIONS, INCLUDING PURSED SPACES, AT THE CEILING AND FLOOR LEVELS
AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR AT SOFFITS, DROP CEILINGS AND COVE CEILINGS.
IN CONCEALED SPACES BETWEEN STAIR STRINGERS AT THE TOP AND BOTTOM OF THE RUN. ENCLOSED ACCESS UNDER STAIRS SHALL COMPLY WITH SECTION 814.6 OF THE CODE.
AT OPENINGS AROUND VENTS, PIPES AND DUCTS AT CEILING AND FLOOR LEVEL.

NOTES

STAIRS

FIRST FLOOR TO SECOND FLOOR

TOTAL RISE = 4'-11 1/2"
(15) RISERS @ 7 1/8"
(14) TREADS @ 9"



FIRST FLOOR PLAN

SCALE: 1/8"=1'-0"